Author Index

Alagar, M.	Development and characterization of high-performance hybrid adhesive for fuel compatible with diesel fuel	53–58
Aoki, T.	Dynamic response of the Hybrid III three year old dummy head and neck during side air bag loading	471–480
Arapatsakos, C. I.	Catalyst regeneration via chemical treatment and emission tests at idle speeds	359–364
Atkinson, C. M.	Development of a heavy-duty chassis dynamometer driving route	561–574
Bae, C. S.	Effect of an inter-ring crevice on unburned hydrocarbon emissions in a spark-ignition engine	227–233
Bae, C.	A new concept of misfire detection using a wide-range oxygen sensor in a spark-ignition engine	585–594
Bai, C.	Numerical studies of an impingement-conditioned small direct-injection diesel engine	379–390
Ball, A. D.	Non-parametric models in the monitoring of engine performance and condition. Part 1: modelling of non-linear engine processes	73–81
Ball, A. D.	Non-parametric models in the monitoring of engine performance and condition. Part 2: non-intrusive estimation of diesel engine cylinder pressure and its use in fault detection	135–143
Ball, J. K.	Cycle-by-cycle modelling of NO formation and comparison with experimental data	175–189
Banerjee, T. K.	Development of a muffler for control of noise pollution in a diesel engine	83–90
Bates, R. A.	Fast optimization of mechanical designs using computer aided design/computer aided engineering emulation: a case study	27–35
Belton, C.	In-cylinder fuel behaviour and exhaust emissions during the cold operation of a spark ignition engine	161–174
Bird, G. L.	Variable geometry turbocharging for lower emissions and improved torque characteristics	145–159
Brace, C. J.	Impact of alternative controller strategies on exhaust emissions from an integrated diesel/continuously variable transmission powertrain	95–107
Brace, C. J.	An operating point optimizer for the design and calibration of an integrated diesel/continuously variable transmission powertrain	215–226
Breitling, T.	Numerical studies of an impingement-conditioned small direct-injection diesel engine	379–390
Burrows, C. R.	Impact of alternative controller strategies on exhaust emissions from an integrated diesel/continuously variable transmission powertrain	95–107
Burrows, C. R.	An operating point optimizer for the design and calibration of an integrated diesel/continuously variable transmission powertrain	215–226
Calnan, P.	Analysis of stratified EGR and air on combustion and NO formation in a spark-ignition engine	611–623
Cantwell, W. J.	Impact failure modes in glass structures	519–529
Centea, D.	The influence of the interface coefficient of friction upon propensity to judder in automotive clutches	245–258
Chan, S. H.	Prediction of transient nitric oxide in diesel exhaust	327–339
Chaudhury, J.	Development of a muffler for control of noise pollution in a diesel engine	83–90
Chen, H. Y.	Study of combustion characteristics of a compression ignition engine fuelled with dimethyl ether	647–652
Chen, Y.-N.	Reduction in polycyclic aromatic hydrocarbon emission and air pollution by using a methanol-containing additive in a gasoline-powered engine	191–199
Chick, J.	Generic functions for fuel consumption and engine-out emissions of HC, CO and NO_x of spark-ignition engines	365–378
Cho, H.	A study of the adaptive control of spark timing using cylinder pressure in a spark ignition engine	435–440
Choi, S.	A new concept of misfire detection using a wide-range oxygen sensor in a spark-ignition engine	585–594
Choi, S. M.	Effect of an inter-ring crevice on unburned hydrocarbon emissions in a spark-ignition engine	227–233
Chow, A.	Thermodynamic modelling of complete engine systems—a review	403–415
Chung, Y.	A new concept of misfire detection using a wide-range oxygen sensor in a spark-ignition engine	585–594

© IMechE 1999

Clark, N. N.	Energy consumption analysis of heavy-duty vehicles for transient emissions evaluation on chassis dynamometer	205–214
Clark, N. N.	Development of a heavy-duty chassis dynamometer driving route	561–574
Collings, N.	Cycle-by-cycle modelling of NO formation and comparison with experimental data	175–189
Cox, A.	Variable geometry turbocharging for lower emissions and improved torque characteristics	145–159
Crandall, J. R.	Dynamic response of the Hybrid III three year old dummy head and neck during side air bag loading	471–480
Crolla, D. A.	Robust adaptive control of an active vehicle suspension system	1–17
Cunningham, G.	Reed valve modelling in a computational fluid dynamics simulation of the two-stroke engine	37–45
Daley, J. J.	Development of a heavy-duty chassis dynamometer driving route	561–574
Darling, J.	A centralized hydraulic system for passenger cars	425–434
Darnton, N. J.	Generic functions for fuel consumption and engine-out emissions of HC, CO and NO_x of spark-ignition engines	365–378
Deacon, M.	Impact of alternative controller strategies on exhaust emissions from an integrated diesel/continuously variable transmission powertrain	95–107
Deacon, M.	An operating point optimizer for the design and calibration of an integrated diesel/continuously variable transmission powertrain	215–226
Dimitriadis, S. G.	Statistical uncertainty in automotive emissions testing	491–502
Dittmann, R.	Fibre-reinforced composites in the car side structure	417–423
Duma, S. M.	Dynamic response of the Hybrid III three year old dummy head and neck during side air bag loading	471–480
Eade, D.	Generic functions for fuel consumption and engine-out emissions of HC, CO and NO_x of spark-ignition engines	365–378
Ebrahimi, M.	Clonk: an onomatopoeic response in torsional impact of automotive drivelines	349–357
Evans, A. K.	Vehicle speed calculation from pedestrian throw distance	441–447
Fardad, D.	Evaporation of hydrocarbon compounds, including gasoline and diesel fuel, on heated metal surfaces	625–645
Fawcett, J. N.	Improvements in belt tension setting procedures on internal combustion engines	119–126
Garner, C. P.	Barrel swirl breakdown in spark-ignition engines: insights from particle image velocimetry measurements	595–609
Ghosh, A. K.	Development of a muffler for control of noise pollution in a diesel engine	83–90
Ghosh, B. B.	Development of a muffler for control of noise pollution in a diesel engine	83–90
Gildein, H.	Numerical studies of an impingement-conditioned small direct-injection diesel engine	379–390
Gilliver, R.	Fast optimization of mechanical designs using computer aided design/computer aided engineering emulation: a case study	27–35
Grant, P. V.	Impact failure modes in glass structures	519–529
Gu, F.	Non-parametric models in the monitoring of engtine performance and condition. Part 1: modelling of non-linear engine processes	73–81
Gu, F.	Non-parametric models in the monitoring of engine performance and condition. Part 2: non-intrusive estimation of diesel engine cylinder pressure and its use in fault detection	135–143
Haji-Sulaiman, M. Z.	The effects of different gasoline blends doped with used engine oil on the forming tendency of simulated intake—valve deposits	47–51
Halliwell, N. A.	Barrel swirl breakdown in spark-ignition engines: insights from particle image velocimetry measurements	595–609
Haste, M. J.	Barrel swirl breakdown in spark-ignition engines: insights from particle image velocimetry measurements	595–609
Hawley, J. G.	Variable geometry turbocharging for lower emissions and improved torque characteristics	145–159
He, Y.	Prediction of transient nitric oxide in diesel exhaust	327–339
Hickson, L. R.	A centralized hydraulic system for passenger cars	425–434
Holgerson, M.	Engagement behaviour of a paper-based wet clutch. Part 1: influence of drive torque	341–348
Holgerson, M.	Engagement behaviour of a paper-based wet clutch. Part 2: influence of temperature	449–455
Hong, G.	Exhaust pressure modelling for feedforward active control of internal combustion engine exhaust noise	109–117
Honnery, D.	Slower, smaller and lighter urban cars	19–26
Horrocks, R. W.	Impact of alternative controller strategies on exhaust emissions from an integrated diesel/continuously variable transmission powertrain	95–107
Horrocks, R. W.	Variable geometry turbocharging for lower emissions and improved torque characteristics	145–159
Horrocks, R. W.	An operating point optimizer for the design and calibration of an integrated diesel/continuously variable transmission powertrain	215–226

© IMechE 1999

Huang, Z. H.	Study of combustion characteristics of a compression ignition engine fuelled with dimethyl ether	647–652
Hughes, A.	Fast optimization of mechanical designs using computer aided design/computer aided engineering emulation: a case study	27–35
Jacob, P. J.	Non-parametric models in the monitoring of engine performance and condition. Part 1: modelling of non-linear engine processes	73–81
Jacob, P. J.	Non-parametric models in the monitoring of engine performance and condition. Part 2: non-intrusive estimation of diesel engine cylinder pressure and its use in fault detection	135–143
Jiang, D. M.	Study of combustion characteristics of a compression ignition engine fuelled with dimethyl ether	647–652
Jo, H.-S.	Prediction of the performance of a split/circulated power transmission	235–244
Jones, N.	Experimental study into the energy absorbing characteristics of top-hat and double-hat sections subjected to dynamic axial crushing	259–278
Jones, N.	A theoretical analysis for the dynamic axial crushing of top-hat and double-hat thin-walled sections	307–325
Jones, T. B.	Weight reduction in automotive structures—an experimental study on torsional stiffness of box sections	59–71
Kandylas, I. P.	Mathematical modelling of precious metals catalytic converters for diesel NO_x reduction	279–292
Kandylas, I. P.	Statistical uncertainty in automotive emissions testing	491–502
Kandylas, I. P.	Computer aided engineering in diesel exhaust aftertreatment systems design	545–560
Kee, R. J.	Reed valve modelling in a computational fluid dynamics simulation of the two-stroke engine	37–45
Kenny, R. G.	Reed valve modelling in a computational fluid dynamics simulation of the two-stroke engine	37–45
Kim, C. G.	Effect of an inter-ring crevice on unburned hydrocarbon emissions in a spark-ignition engine	227–233
Kim, C.	Effect of the suspension structure on equivalent suspension parameters	457–470
Kim, H.	Effect of the suspension structure on equivalent suspension parameters	457–470
Koltsakis, G. C.	Mathematical modelling of precious metals catalytic converters for diesel NO_x reduction	279–292
Koltsakis, G. C.	Computer aided engineering in diesel exhaust aftertreatment systems design	545–560
Korin, E.	Reducing cold-start emission from internal combustion engines by means of a catalytic converter embedded in a phase-change material	575–583
Ladommatos, N.	Analysis of stratified EGR and air on combustion and NO formation in a spark-ignition engine	611–623
Ladommatos, N.	Evaporation of hydrocarbon compounds, including gasoline and diesel fuel, on heated metal surfaces	625–645
Lee, J.	A study of the adaptive control of spark timing using cylinder pressure in a spark ignition engine	435–440
Lee, J.-M.	Prediction of the performance of a split/circulated power transmission	235–244
Lee, M. M. K.	Weight reduction in automotive structures—an experimental study on torsional stiffness of box sections	59–71
Lemoult, B.	Combustion characterization of natural gas in a lean burn spark-ignition engine	481–489
Lim, W.-S.	Prediction of the performance of a split/circulated power transmission	235–244
Lundberg, J.	Engagement behaviour of a paper-based wet clutch. Part 1: influence of drive torque	341–348
Lundberg, J.	Engagement behaviour of a paper-based wet clutch. Part 2: influence of temperature	449–455
Luo, J. D.	Energy consumption analysis of heavy-duty vehicles for transient emissions evaluation on chassis dynamometer	205–214
Lyons, D. W.	Energy consumption analysis of heavy-duty vehicles for transient emissions evaluation on chassis dynamometer	205–214
Ma, T.	Analysis of stratified EGR and air on combustion and NO formation in a spark-ignition engine	611–623
Mat-Isa, F.	The effects of different gasoline blends doped with used engine oil on the forming tendency of simulated intake—valve deposits	47–51
Menday, M. T.	The influence of the interface coefficient of friction upon propensity to judder in automotive clutches	245–258
Menday, M. T.	Clonk: an onomatopoeic response in torsional impact of automotive drivelines	349–357
Milton, B. E.	Influence of the resonant frequency on the control of knock in diesel engines	127–133
Mohammed Bial, I.	Development and characterization of high-performance hybrid adhesive for fuel filters compatible with diesel fuel	53–58
Mohan, V.	Development and characterization of high-performance hybrid adhesive for fuel filters compatible with diesel fuel	53–58
Moriarty, P.	Slower, smaller and lighter urban cars	19–26

© IMechE 1999

Nine, R. D.	Development of a heavy-duty chassis dynamometer driving route	561–574
Park, J. H.	Observer-based control of vehicle semi-active suspensions	531–543
Park, Y.-I.	Prediction of the performance of a split/circulated power transmission	235–244
Patberg, L.	Fibre-reinforced composites in the car side structure	417–423
Peng, Z.	Analysis of stratified EGR and air on combustion and NO formation in a spark-ignition engine	611–623
Philipps, M.	Fibre-reinforced composites in the car side structure	417–423
Pilkey, W. D.	Dynamic response of the Hybrid III three year old dummy head and neck during side air bag loading	471–480
Pine, T.	Weight reduction in automotive structures—an experimental study on torsional stiffness of box sections	59–71
Plummer, A. R.	Robust adaptive control of an active vehicle suspension system	1–17
Pontikakis, G. N.	Computer aided engineering in diesel exhaust aftertreatment systems design	545–560
Rahnejat, H.	The influence of the interface coefficient of friction upon propensity to judder in automotive clutches	245–258
Rahnejat, H.	Clonk: an onomatopoeic response in torsional impact of automotive drivelines	349–357
Ramsbottom, M.	Robust adaptive control of an active vehicle suspension system	1–17
Randall, R. B.	Influence of the resonant frequency on the control of knock in diesel engines	127–133
Reeves, M.	Barrel swirl breakdown in spark-ignition engines: insights from particle image velocimetry measurements	595–609
Ren, Y.	Influence of the resonant frequency on the control of knock in diesel engines	127–133
Reshef, R.	Reducing cold-start emission from internal combustion engines by means of a catalytic converter embedded in a phase-change material	575–583
Ro, P. I.	Effect of the suspension structure on equivalent suspension parameters	457–470
Rousseau, S.	Combustion characterization of natural gas in a lean burn spark-ignition engine	481–489
Seki, K.	Dynamic response of the Hybrid III three year old dummy head and neck during side air bag loading	471–480
Seneviratne, L. D.	Dynamic simulation of a single-cylinder diesel engine including dynamometer modelling and friction	391–402
Shahin, T.	Fast optimization of mechanical designs using computer aided design/computer aided engineering emulation: a case study	27–35
Shayler, P. J.	In-cylinder fuel behaviour and exhaust emissions during the cold operation of a spark ignition engine	161–174
Shayler, P. J.	Generic functions for fuel consumption and engine-out emissions of HC, CO and NO_x of spark-ignition engines	365–378
Sher, E.	Reducing cold-start emission from internal combustion engines by means of a catalytic converter embedded in a phase-change material	575–583
Sivaloganathan, S.	Fast optimization of mechanical designs using computer aided design/computer aided engineering emulation: a case study	27–35
Smith, R.	Vehicle speed calculation from pedestrian throw distance	441–447
Song, B. S.	A new adaptive sky-hook control of vehicle semi-active suspensions	293–303
Song, B. S.	Observer-based control of vehicle semi-active suspensions	531–543
Sparis, P. D.	Catalyst regeneration via chemical treatment and emission tests at idle speeds	359–364
Stamatelos, A. M.	Mathematical modelling of precious metals catalytic converters for diesel NO_x reduction	279–292
Stamatelos, A. M.	Statistical uncertainty in automotive emissions testing	491–502
Stamatelos, A. M.	Computer aided engineering in diesel exhaust aftertreatment systems design	545–560
Stone, C. R.	Cycle-by-cycle modelling of NO formation and comparison with experimental data	175–189
Sun, J. H.	Prediction of transient nitric oxide in diesel exhaust	327–339
Tazerout, M.	Combustion characterization of natural gas in a lean burn spark-ignition engine	481–489
Thanikai Velen, T. V.	Development and characterization of high-performance hybrid adhesive for fuel filters compatible with diesel fuel	53–58
Tilley, D. G.	A centralized hydraulic system for passenger cars	425–434
Tse, C.-C.	Reduction in polycyclic aromatic hydrocarbon emission and air pollution by using a methanol-containing additive in a gasoline-powered engine	191–199
Tshernichovesky, D.	Reducing cold-start emission from internal combustion engines by means of a catalytic converter embedded in a phase-change material	575–583
Vaughan, N. D.	Impact of alternative controller strategies on exhaust emissions from an integrated diesel/continuously variable transmission powertrain	95–107
Vaughan, N. D.	An operating point optimizer for the design and calibration of an integrated diesel/continuously variable transmission powertrain	215–226
Wallace, F. J.	Variable geometry turbocharging for lower emissions and improved torque characteristics	145–159

© IMechE 1999

Wang, C.-N.	Reduction in polycyclic aromatic hydrocarbon emission and air pollution by using a methanol-containing additive in a gasoline-powered engine	191–199
Wang, H. W.	Study of combustion characteristics of a compression ignition engine fuelled with dimethyl ether	647–652
Wang, W. G.	Energy consumption analysis of heavy-duty vehicles for transient emissions evaluation on chassis dynamometer	205–214
Whidborne, J. F.	Dynamic simulation of a single-cylinder diesel engine including dynamometer modelling and friction	391–402
White, M. D.	Experimental study into the energy absorbing characteristics of top-hat and double-hat sections subjected to dynamic axial crushing	259–278
White, M. D.	A theoretical analysis for the dynamic axial crushing of top-hat and double-hat thin-walled sections	307–325
Wu, S.-J.	Reduction in polycyclic aromatic hydrocarbon emission and air pollution by using a methanol-containing additive in a gasoline-powered engine	191–199
Wu, T.-D.	Reduction in polycyclic aromatic hydrocarbon emission and air pollution by using a methanol-containing additive in a gasoline-powered engine	191–199
Wynn, H. P.	Fast optimization of mechanical designs using computer aided design/computer aided engineering emulation: a case study	27–35
Wyszynski, M. L.	Thermodynamic modelling of complete engine systems—a review	403–415
Yacoub, Y.	Method procedures for sampling aldehyde and ketone using 2,4-dinitrophenylhydrazine—a review	503–517
Yi, K.	A new adaptive sky-hook control of vehicle semi-active suspensions	293–303
Yi, K.	Observer-based control of vehicle semi-active suspensions	531–543
Yoo, J.	A study of the adaptive control of spark timing using cylinder pressure in a spark ignition engine	435–440
Yoon, K.	A new concept of misfire detection using a wide-range oxygen sensor in a spark-ignition engine	585–594
Zhao, H.	Analysis of stratified EGR and air on combustion and NO formation in a spark-ignition engine	611–623
Zhou, L. B.	Study of combustion characteristics of a compression ignition engine fuelled with dimethyl ether	647–652
Zweiri, Y. H.	Dynamic simulation of a single-cylinder diesel engine including dynamometer modelling and friction	391–402

© IMechE 1999